New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 Pennsauken Residents

1.	Current HIV/	AIDS Category		olescent *		Pediat Cases	ric *		С	Tota ases	al %	
	AIDS-Any OI AIDS-CD4 Onl HIV Only		#	11 # #		 0 # #		0 # #		8 29 38	3 5	1 9 1
	Total		74	100		#		- #	=	75	10	
2.	Current Age * Cases			/Eth.		Cases	5 %		용	Cases	8	
	5-12 # 13-19 0 20-29 7	0 0 # # 0 0	White Black Hispa Othe	e, Not Hisp k, Not Hisp anic r/Unknown	oanic oanic	# 15 #	28 # 20 #	0 #	0 # 0 #	21 37 15	28 49 20 #	
	30-39 21 40-49 35 50+ 11 Unk. #	. 15 : #	Tota			74		#		75	100	
	Total 75	100										
4.	Patient Grou	_		Ac Males		dolescer	nt Mod Femal		xpos	Tota	al	용
	Men sex with Injection dr MSM/IDU Heterosexual Risk not rep	rug user (IDU)	*	23 # # 14 #	# # 28 #		2	0 0 # # 0 0 0 83 # #		:	 23 10 # 34 #	31 14 # 46 #
	Total			50	100		2	4 100			74	100
					Pe	diatric	Modif	ied Exp	osur	e Catego	orie	s

	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV Risk not reported/other****	# 0	#	# 0	# 0	# 0	# 0
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2005.
- ** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- $\ensuremath{^{***}}$ Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Pennsauken Residents

	Adult/Adolescent*			tric*	Total		
1. Disease Category	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	
PCP Other OI w/o PCP KS Alone No Disease Listed	15 (19) # (#) # (#) 44 (57)	11 (73) # (#) # (#) 15 (34)	0 (.) 0 (.) 0 (.)	0 (.) 0 (.) 0 (.)	15 (19) # (#) # (#) 44 (57)	11 (73) # (#) # (#) 15 (34)	
Total	77 (100)	40 (52)	0 (.)	0 (.)	77 (100)	40 (52)	

				Adult/Adl*	Pediatric*	Total	
2. Age *	Cases	용	Race/Eth.	Cases %	Cases %	Cases	용
Under 5	0	0	White, Not Hispanic	28 36	0 .	28	36
5-12	0	0	Black, Not Hispanic	34 44	0 .	34	44
13-19	0	0	Hispanic	13 17	0 .	13	17
20-29	10	13	Other/Unknown	# #	0 .	#	#
30-39	36	47					
40-49	22	29	Total	77 100	0 .	77	100
Over 49	9	12					
Unknown	0	0					
Total	77	100					

4.	Patient Group	Adult/Adolescent	Modified	Exposure	Categories	* *
		 	-	•		

	Males	%	Females	8	Total	%	
Men sex with men (MSM)	25	44	0	0	25	32	
Injection drug user (IDU)	#	#	#	#	16	21	
MSM/IDU	#	#	0	0	#	#	
Heterosexual contact***	10	18	13	65	23	30	
Risk not reported/other***	#	#	#	#	#	#	
Total	57	100	20	100	77	100	

И	Males	Pediatric %		Exposure %	Categories Total	%
Parent at risk/has AIDS/HIV	0	•	0		0	
Risk not reported/other****	0		0		0	
Total	0	•	0		0	

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of AIDS diagnosis.
- ** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Pennsauken Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	0	0	. %
1986	#	#	#
1987	#	#	#
1989	#	#	#
1990	#	#	#
1991	6	6	100%
1992	6	6	100%
1993	#	#	#
1994	9	5	56%
1995	9	5	56%
1996	#	#	#
1997	#	#	#
1998	#	#	#
1999	6	#	#
2000	8	#	#
2001	6	#	#
2002	#	#	#
2003	#	#	#
2004	#	#	#
2005	#	#	#
Total	77	40	52%